

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive
Scottsdale Arizona 85266 United States

Sample Name:	Cleanse and Reset	Eurofins Sample:	15124980
Project ID	DR_GREEN_L-20250320-0005	Receipt Date	31-Mar-2025
PO Number	Group 3 3.25	Receipt Condition	Ambient temperature
Lot Number	AF DETOXIFY 202420542	Login Date	20-Mar-2025
Sample Serving Size	1 mL	Date Started	31-Mar-2025
Description	Liquid	Sampled	Sample results apply as received
		Online Order	901-2025-E025335

Analysis	Result
Glyphosate *	
Glyphosate	<10 ng/g
Density by Gravimetric Analysis	
Density	1.138 g/mL
Note	Client supplied value, client assumes all responsibility for the validity of the value.
Elements by ICP Mass Spectrometry	
Lead	<0.00569 mcg/Serving Size
Arsenic	<0.0114 mcg/Serving Size
Cadmium	<0.00569 mcg/Serving Size
Mercury	<0.00569 mcg/Serving Size

Method References	Testing Location
Density by Gravimetric Analysis (SPGP_S)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
NIST Handbook 133 - Checking the Net Contents of Packaged Goods, 2015 Edition (Modified)	
Elements by ICP Mass Spectrometry (ICP_MS_S)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).	
Glyphosate (QA_GLYPHO)	Eurofins Central Analytical Laboratories 2219 Lakeshore Dr Suite 500 New Orleans, LA 70122 USA

* This analysis or component is not ISO accredited.

Printed: 14-May-2025 3:22 pm

Page 1 of 2

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive
Scottsdale Arizona 85266 United States

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

Edward Ladwig - President Eurofins Food
Chemistry Testing Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.