

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive
Scottsdale Arizona 85266 United States

Sample Name:	Clear My Sinuses	Eurofins Sample:	15123957
Project ID	DR_GREEN_L-20250320-0004	Receipt Date	31-Mar-2025
PO Number	Group 2 Submission 3.25	Receipt Condition	Ambient temperature
Lot Number	202417755	Login Date	20-Mar-2025
Sample Serving Size	0.5 mL	Date Started	01-Apr-2025
Description	Liquid	Sampled	Sample results apply as received
		Online Order	901-2025-E025181

Analysis	Result
Glyphosate *	
Glyphosate	<10 ng/g
Aminomethylphosphonic acid (AMPA)	<0.05 mg/kg
Density by Gravimetric Analysis	
Density	1.026 g/mL
Elements by ICP Mass Spectrometry	
Lead	<0.00257 mcg/Serving Size
Arsenic	<0.00513 mcg/Serving Size
Cadmium	<0.00257 mcg/Serving Size
Mercury	<0.00257 mcg/Serving Size

Method References	Testing Location
Density by Gravimetric Analysis (SPGP_S)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
NIST Handbook 133 - Checking the Net Contents of Packaged Goods, 2015 Edition (Modified)	
Elements by ICP Mass Spectrometry (ICP_MS_S)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).	
Glyphosate (QA_GLYPHO)	Eurofins Central Analytical Laboratories 2219 Lakeshore Dr Suite 500 New Orleans, LA 70122 USA

* This analysis or component is not ISO accredited.

Printed: 22-May-2025 10:31 am

Page 1 of 2

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive
Scottsdale Arizona 85266 United States

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

Edward Ladwig - President Eurofins Food
Chemistry Testing Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.