

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive
Scottsdale Arizona 85266 United States

Sample Name:	Elderberry Elixir	Eurofins Sample:	15125499
Project ID	DR_GREEN_L-20250321-0006	Receipt Date	31-Mar-2025
PO Number	Group 4 3.25	Receipt Condition	Ambient temperature
Lot Number	202415790	Login Date	21-Mar-2025
Sample Serving Size	2.5 mL	Date Started	31-Mar-2025
Description	Liquid	Sampled	Sample results apply as received
		Online Order	901-2025-E025368

Analysis	Result
Glyphosate *	
Glyphosate	20 ng/g
Aminomethylphosphonic acid (AMPA)	<50 ng/g
Density by Gravimetric Analysis	
Density	1.198 g/mL
Elements by ICP Mass Spectrometry	
Lead	0.0205 mcg/Serving Size
Arsenic	<0.0300 mcg/Serving Size
Cadmium	<0.0150 mcg/Serving Size
Mercury	<0.0150 mcg/Serving Size

Method References	Testing Location
-------------------	------------------

Density by Gravimetric Analysis (SPGP_S)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

NIST Handbook 133 - Checking the Net Contents of Packaged Goods, 2015 Edition (Modified)

Elements by ICP Mass Spectrometry (ICP_MS_S)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).

Glyphosate (QA_GLYPHO)

Eurofins Central Analytical Laboratories

2219 Lakeshore Dr Suite 500 New Orleans, LA 70122 USA

* This analysis or component is not ISO accredited.

Printed: 17-Jun-2025 12:53 pm

Page 1 of 2

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive
Scottsdale Arizona 85266 United States

Testing Location(s)

Food Integrity Innovation-Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375

Released on Behalf of Eurofins by

Edward Ladwig - President Eurofins Food
Chemistry Testing Madison



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.