

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive
Scottsdale Arizona 85266 United States

| | | | |
|----------------------------|--------------------------|--------------------------|----------------------------------|
| Sample Name: | Mothers Energy | Eurofins Sample: | 14258303 |
| Project ID | DR_GREEN_L-20240627-0001 | Receipt Date | 05-Jul-2024 |
| PO Number | 6.27.2024 | Receipt Condition | Ambient temperature |
| Sample Serving Size | 2.5 mL | Login Date | 27-Jun-2024 |
| Description | Liquid | Date Started | 09-Jul-2024 |
| | | Sampled | Sample results apply as received |
| | | Online Order | 901-2024-E047641 |

| Analysis | Result |
|--|--------------------------|
| Density by Gravimetric Analysis | |
| Density | 1.216 g/mL |
| Elements by ICP Mass Spectrometry | |
| Lead | <0.0152 mcg/Serving Size |
| Arsenic | <0.0304 mcg/Serving Size |
| Mercury | <0.0152 mcg/Serving Size |
| Cadmium | <0.0152 mcg/Serving Size |
| Glyphosate and AMPA | |
| Glyphosate | <304 ng/Serve |
| AMPA | <304 ng/Serve |

| Method References | Testing Location |
|--|--|
| Density by Gravimetric Analysis (SPGP_S) | Food Integrity Innovation-Madison |
| NIST Handbook 133 - Checking the Net Contents of Packaged Goods, 2015 Edition (Modified) | 6304 Ronald Reagan Ave Madison, WI 53704 USA |
| Elements by ICP Mass Spectrometry (ICP_MS_S) | Food Integrity Innovation-Madison |
| Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified). | 6304 Ronald Reagan Ave Madison, WI 53704 USA |
| Glyphosate and AMPA (GLY_AMPA_S) | Food Integrity Innovation-Madison |
| Internally developed method. | 6304 Ronald Reagan Ave Madison, WI 53704 USA |

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive
Scottsdale Arizona 85266 United States

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375

Edward Ladwig - President Eurofins Food
Chemistry Testing Madison



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.