

## Certificate of Analysis

### Dr Green Life

5775 E. Pinnacle Vista Drive  
Scottsdale Arizona 85266 United States

<b>Sample Name:</b>	<b>Mothers Nature Biotic</b>	<b>Eurofins Sample:</b>	<b>14258302</b>
<b>Project ID</b>	DR_GREEN_L-20240627-0001	<b>Receipt Date</b>	05-Jul-2024
<b>PO Number</b>	6.27.2024	<b>Receipt Condition</b>	Ambient temperature
<b>Lot Number</b>	202309607	<b>Login Date</b>	27-Jun-2024
<b>Sample Serving Size</b>	1 mL	<b>Date Started</b>	09-Jul-2024
<b>Description</b>	Liquid	<b>Sampled</b>	Sample results apply as received
		<b>Online Order</b>	901-2024-E047641

#### Analysis

#### Result

##### Density by Gravimetric Analysis

Density 1.167 g/mL

##### Elements by ICP Mass Spectrometry

Lead <0.00584 mcg/Serving Size

Mercury <0.00584 mcg/Serving Size

Arsenic <0.0117 mcg/Serving Size

Cadmium <0.00584 mcg/Serving Size

##### Glyphosate and AMPA

Glyphosate <117 ng/Serve

AMPA <117 ng/Serve

#### Method References

#### Testing Location

##### Density by Gravimetric Analysis (SPGP\_S)

##### Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

NIST Handbook 133 - Checking the Net Contents of Packaged Goods, 2015 Edition (Modified)

##### Elements by ICP Mass Spectrometry (ICP\_MS\_S)

##### Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).

##### Glyphosate and AMPA (GLY\_AMPA\_S)

##### Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Internally developed method.

## Certificate of Analysis

### Dr Green Life

5775 E. Pinnacle Vista Drive  
Scottsdale Arizona 85266 United States

---

**Testing Location(s)****Released on Behalf of Eurofins by****Food Integrity Innovation-Madison**

Eurofins Food Chemistry Testing Madison, Inc.  
6304 Ronald Reagan Ave  
Madison WI 53704  
800-675-8375

Edward Ladwig - President Eurofins Food  
Chemistry Testing Madison



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.