

## Certificate of Analysis

### Dr Green Life

5775 E. Pinnacle Vista Drive  
Scottsdale Arizona 85266 United States

<b>Sample Name:</b>	<b>Natal K</b>	<b>Eurofins Sample:</b>	<b>13177046</b>
<b>Project ID</b>	DR_GREEN_L-20230801-0003	<b>Receipt Date</b>	15-Aug-2023
<b>PO Number</b>	7312023	<b>Receipt Condition</b>	Ambient temperature
<b>Lot Number</b>	202305423	<b>Login Date</b>	01-Aug-2023
<b>Sample Serving Size</b>	0.025 mL	<b>Date Started</b>	16-Aug-2023
<b>Description</b>	Natal K	<b>Sampled</b>	Sample results apply as received
		<b>Online Order</b>	901-2023-E046641

Analysis	Result
<b>Density by Gravimetric Analysis</b>	
Density	0.959 g/mL
<b>Elements by ICP Mass Spectrometry</b>	
Lead	<0.000120 mcg/Serving Size
Arsenic	<0.000240 mcg/Serving Size
Cadmium	<0.000120 mcg/Serving Size
Mercury	<0.000120 mcg/Serving Size
<b>Glyphosate and AMPA</b>	
Glyphosate	<100 ng/g
AMPA	<100 ng/g

Method References	Testing Location
<b>Density by Gravimetric Analysis (SPGP_S)</b>	<b>Food Integrity Innovation-Madison</b> 6304 Ronald Reagan Ave Madison, WI 53704 USA
NIST Handbook 133 - Checking the Net Contents of Packaged Goods, 2015 Edition (Modified)	
<b>Elements by ICP Mass Spectrometry (ICP_MS_S)</b>	<b>Food Integrity Innovation-Madison</b> 6304 Ronald Reagan Ave Madison, WI 53704 USA
Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).	
<b>Glyphosate and AMPA (GLY_AMPA_S)</b>	<b>Food Integrity Innovation-Madison</b> 6304 Ronald Reagan Ave Madison, WI 53704 USA
Internally developed method.	

## Certificate of Analysis

### Dr Green Life

5775 E. Pinnacle Vista Drive  
Scottsdale Arizona 85266 United States

#### Testing Location(s)

#### Released on Behalf of Eurofins by

##### Food Integrity Innovation-Madison

Eurofins Food Chemistry Testing Madison, Inc.  
6304 Ronald Reagan Ave  
Madison WI 53704  
800-675-8375

Edward Ladwig - President Eurofins Food  
Chemistry Testing Madison



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.