

Report Number:

Date: 22-Sep-2023

Report Date:

22-3<del>c</del>p-2023

4226347-0

**Final** 

Report Status:
Supercedes:

4197277-0

## **Certificate of Analysis**

#### Dr Green Life

5775 E. Pinnacle Vista Drive Scottsdale Arizona 85266 United States

Sample Name:	Natures Biotic	Eurofins Sample:	13177033
Project ID	DR_GREEN_L-20230801-0003	Receipt Date	15-Aug-2023
PO Number	7312023	Receipt Condition	Ambient temperature
Lot Number	202201110	Login Date	01-Aug-2023
Sample Serving Size	1 mL	Date Started	16-Aug-2023
Description	Natures Biotic Adult	Sampled	Sample results apply as received
p		Online Order	901-2023-E046641

Analysis Result

Density by Gravimetric Analysis

Density 1.143 g/mL

Elements by ICP Mass Spectrometry

Lead <0.00572 mcg/Serving Size
Arsenic <0.0114 mcg/Serving Size
Cadmium <0.00572 mcg/Serving Size
Mercury <0.00572 mcg/Serving Size
<0.00572 mcg/Serving Size

Glyphosate and AMPA

Glyphosate <100 ng/g AMPA <100 ng/g

Method References Testing Location

Density by Gravimetric Analysis (SPGP\_S)

Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA

NIST Handbook 133 - Checking the Net Contents of Packaged Goods, 2015 Edition (Modified)

Elements by ICP Mass Spectrometry (ICP\_MS\_S)

Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA

Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).

Glyphosate and AMPA (GLY\_AMPA\_S)

Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA

Internally developed method.

Printed: 22-Sep-2023 3:22 pm Page 1 of 2



Report Number: 4226347-0

Report Date: 22-Sep-2023

Report Status: Final

Supercedes: 4197277-0

# **Certificate of Analysis**

### Dr Green Life


5775 E. Pinnacle Vista Drive Scottsdale Arizona 85266 United States

#### Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

Eurofins Food Chemistry Testing Madison, Inc. 6304 Ronald Reagan Ave Madison WI 53704 800-675-8375







2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.

Printed: 22-Sep-2023 3:22 pm Page 2 of 2