

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive Scottsdale Arizona 85266 United States

| Sample Name: | Womens Health Probiotic | Eurofins Sample: | 13177040 |
|---------------------|--------------------------|--------------------------|----------------------------------|
| Project ID | DR_GREEN_L-20230801-0003 | Receipt Date | 15-Aug-2023 |
| PO Number | 7312023 | Receipt Condition | Ambient temperature |
| Lot Number | 2023210262 | Login Date | 01-Aug-2023 |
| Sample Serving Size | 523 mg | Date Started | 16-Aug-2023 |
| Analysis | Womens Health probiotic | Sampled | Sample results apply as received |
| | | Number Composited | 20 |
| | | Online Order | 901-2023-E046641 |
| | | | Result |

| Elements by ICP Mass Spectrometry | |
|-----------------------------------|---------------------------|
| Lead | 0.00864 mcg/Serving Size |
| Arsenic | 0.0649 mcg/Serving Size |
| Cadmium | 0.00426 mcg/Serving Size |
| Mercury | <0.00262 mcg/Serving Size |
| Glyphosate and AMPA | |
| Glyphosate | <100 ng/g |
| AMPA | <100 ng/g |
| | |

Method References

Elements by ICP Mass Spectrometry (ICP_MS_S)

Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).

Glyphosate and AMPA (GLY_AMPA_S)

Internally developed method.

Testing Location(s)

Food Integrity Innovation-Madison

Eurofins Food Chemistry Testing Madison, Inc. 6304 Ronald Reagan Ave Madison WI 53704 800-675-8375

Released on Behalf of Eurofins by

Edward Ladwig - President Eurofins Food Chemistry Testing Madison



6304 Ronald Reagan Ave Madison, WI 53704 USA

Food Integrity Innovation-Madison

Testing Location

6304 Ronald Reagan Ave Madison, WI 53704 USA

Food Integrity Innovation-Madison



| Report Number: | 4226364-0 |
|----------------|-------------|
| Report Date: | 22-Sep-2023 |
| Report Status: | Final |
| Supercedes : | 4197294-0 |

Certificate of Analysis

Dr Green Life

5775 E. Pinnacle Vista Drive Scottsdale Arizona 85266 United States

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.